



State of Rhode Island
DEPARTMENT OF HEALTH

APPENDIX TO ANALYTICAL LABORATORY CERTIFICATE No. LAI00036

BAL Laboratory
185 Frances Avenue
Cranston, RI 02910
401 785-0241

Expiration Date: December 31, 2025 Date Issued: February 11, 2025

Potable Water - Microbiology

Total Coliform	SM9221B
Total Coliform MF	SM9222B (m-Endo)
Total Coliform	SM9223B Colilert PA
Total Coliform	SM9223 B Colisure PA
Total Coliform	SM9223 COL ertQT
Total Coliform	SM9223 COLert-18QT
Total Coliform	EPA 1604 MF (MI)
Fecal Coliform	SM9222D m FC
Fecal Coliforms	SM9221E
E.Coli	SM9222B M-Endo + G(EC MUG)
E.Coli	SM9222B M-Endo + G(NA MUG)
E.Coli	EPA 1604 MF (MI)
E.Coli	EPA 1603 MF (mTEC)
E.Coli	SM9221B F ECMUG
E.Coli	SM9223 Colilert PA
E.Coli	SM9223 B Colisure PA
E.Coli	SM9223 COL ertQT MPN
E.Coli	SM9223 COLert-18QT MPN
E.Coli	SM9213D
Heterotrophic Plate Count	SM9215B
Enterococci	Enterolert IDEXX

Non-Potable Water - Microbiology

Total Coliform	SM9221B LTB
Total Coliform	EPA1604 (MI)
Fecal Coliform	SM9221B + E + C
Fecal Coliform	SM9222D m FC
Fecal Coliform MPN	SM9223B (Colilert18 Quanti-Tray)
E. coli	SM9223B (Colilert18 Quanti-Tray)
E. coli	SM9223B (Colilert Quanti-Tray)
E. coli MPN	EPA 1604 (MI)
E. coli	SM9221B + F ECMUG



**State of Rhode Island
DEPARTMENT OF HEALTH**

APPENDIX TO ANALYTICAL LABORATORY CERTIFICATE No. LAI00036

**BAL Laboratory
185 Frances Avenue
Cranston, RI 02910
401 785-0241**

Expiration Date: December 31, 2025

E. coli
E. coli
Enterococci MPN
Enterococci MF

Date Issued: February 11, 2025

SM9213D
EPA 1603 mTEC
Enterolert IDEXX
EPA 1600 mEI

A handwritten signature in black ink, appearing to be "L.A.", written over a horizontal line.