



State of Rhode Island and Providence Plantations  
DEPARTMENT OF HEALTH

APPENDIX TO ANALYTICAL LABORATORY CERTIFICATE No. LAI00036

**BAL Laboratory**  
**185 Frances Avenue**  
**Cranston, RI 02910**  
**401 785-0241**

Expiration Date: December 31, 2023      Date Issued: February 6, 2023

**Potable Water - Microbiology**

Total Coliform	SM9221B
Total Coliform MF	SM9222B (m-Endo)
Total Coliform	SM9223B Colilert
Total Coliform	SM9223 B Colisure PA
Total Coliform	SM9223 COL ertQT
Total Coliform	SM9223 COLert-18QT
E.Coli	SM9222B M-Endo + G(EC MUG)
Fecal Coliform	SM9222D m FC
Fecal Coliforms	SM9221E
Total Coliform	EPA 1604 MF
E.Coli	EPA 1604 MF
E.Coli	SM9221B F ECMUG
E.Coli	SM9223 Colilert PA
E.Coli	SM9223 B Colisure PA
E.Coli	SM9223 COL ertQT MPN
E.Coli	SM9223 COLert-18QT MPN
Heterotrophic Plate Count	SM9215B
E.Coli	SM9213D
E.Coli	EPA 1103.1 m TEC
Enterococci MPN	Enterolert IDEXX

**Non-Potable Water - Microbiology**

Total Coliform	SM9221B LTB
Fecal Coliform	SM9221B + E + C
Fecal Coliform	SM9222D m FC
Fecal Coliform MPN	SM9223B (Colilert18 Quanti-Tray)
E. coli	SM9221B + F ECMUG
E. coli	EPA 1103.1 (mTEC)
E. coli	SM9213D
Enterococci MPN	Enterolert IDEXX
Enterococci MF	EPA 1600 mEI